

STATE RESTRICTED USE PESTICIDE

Sencor® DF 75% Dry Flowable Herbicide (metribuzin) is a state restricted use pesticide for the protection of groundwater and is to be distributed only by licensed pesticide dealers. Only certified applicators or persons under the direct supervision of a certified applicator may use or apply Sencor® DF 75% Dry Flowable Herbicide (metribuzin)

Sencor® DF 75% Dry Flowable Herbicide
For Use of Reduced Rates (shorter PHI) to
Suppress Certain Broadleaf Weeds in Green Peas

EPA Reg. No. 264-738
SLN No. WA-040031



24(c) Supplemental Label

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF WASHINGTON

This label for Sencor® DF 75% Dry Flowable Herbicide expires and must not be distributed or used in accordance with this SLN registration after December 31, 2014.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This label must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

Sencor DF Herbicide is recommended as a postemergence application for the suppression of certain broadleaf weeds in green peas.

CROP	DOSAGE SENCOR® DF/Acre	APPLICATION INSTRUCTIONS
Green Peas	2 to 5.3 oz/Acre	POSTEMERGENCE: Apply Sencor DF as a broadcast spray using 20 to 40 gallons of water with ground spray equipment when the crop is 2 to 6 inches tall and weeds are less than two inches across. Do not exceed 40 psi spray pressure. Use 2.0 to 3.5 ounces per acre where the anticipated application to harvest interval is 40 to 49 days and 2.0 to 5.3 ounces per acre where the anticipated harvest day is 50 days or longer. Use the higher end of the use rate range on fine-textured soils (high in clay and organic matter). Do not apply more than one postemergence application per season. Do not apply more than 3.5 ounces on wet soils.

Restrictions/Precautions:

Refer to the Sencor DF label for additional precautions and restrictions.

For use under this SLN do not apply this product to peas through any type of irrigation system.

Do not apply within 40 days of pea harvest. Do not apply within 50 days of harvest where use rate is greater than 3.5 oz per acre. Do not feed treated vines to livestock within 40 days after application.

Crop Injury may result if crop is under stress conditions caused by cold weather, drought, low fertility, disease or insect damage. Avoid application of more than 1/2 inch of irrigation within one month after Sencor DF is applied or crop injury may occur.

WSDA Container Disposal Guidance: Completely empty the contents of the pesticide container into application equipment, and apply to a labeled crop or site. The empty container may be disposed of in a sanitary landfill. Burning is not a legal method of container disposal in Washington.

Bayer CropScience LP
P.O. Box 12014
2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709
1-866-99BAYER (1-866-992-2937)

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577

For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)

or

Visit our worldwide web site at www.bayercropscienceus.com

*As with any crop-protection product, always read and follow label directions.
For additional information call toll-free 1-866-99BAYER (1-866-992-2937).*